


Technical Data:

ITEM	Part NO.	Stack(P&N)	A(Max.)	V(Max.)	Qc(W) /Th=27°C/ ΔT(°C)	DIM(A)	DIM(B)	DIM(H)	
1	TECI-071013030	71	1 A	8.5 V	6.7W	70°C	30	30	RF5.2
2	TECI-071023030	71	2 A	8.5 V	12W	70°C	30	30	RF4.1
3	TECI-071033030	71	3 A	8.5 V	18W	70°C	30	30	RF4.0
4	TECI-071043030	71	4 A	8.5 V	21W	70°C	30	30	RF3.9
5	TECI-071053030	71	5 A	8.5 V	25W	70°C	30	30	RF3.8
6	TECI-071063030	71	6 A	8.5 V	29W	70°C	30	30	RF3.7
7	TECI-071073030	71	7 A	8.5 V	34W	70°C	30	30	RF3.6
8	TECI-071083030	71	8 A	8.5 V	38W	70°C	30	30	RF3.5
9	TECI-071093030	71	9 A	8.5 V	45W	70°C	30	30	RF3.4
10	TECI-071103030	71	10 A	8.5 V	49W	70°C	30	30	RF3.3
11	TECI-071203030	71	12 A	8.5 V	57W	70°C	30	30	RF3.3
12	TECI-071133030	71	13 A	8.5 V	65W	70°C	30	30	RF3.2
13	TECI-071153030	71	15 A	8.5 V	73W	70°C	30	30	RF3.1


\*DO NOT SCALE DRAWING



THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPR ODUCE  
USED OR DISCLOSED OR IN PART TO ANYONE WITHOUT THE PERMISSION OF KJLP (SHENZHEN) ELECTRONICS  
CO., LTD.

REVISIONS						
REV.	POS.	DESCRIPTION	DATE	DRW	APP	ECR#
A		INITIAL CREATION	2013/09/09	Gory	Mason	

Curve Chart(Be Confined To TECI-071153030):



Part Number And Feature:

T	E	C	I	-	0	7	1	x	x	3	0	3	0	Sealing	YES
↓	↓				↓	↓	↓	↓	↓					Operation Temperature	125°C(Max.)
Thermo	Electric	Chip	Stack		N & P	Stack	Quantity	Current	A(Max.)	Dimension	(A)	Dimension	(B)	Melting Point	138°C
														Storage Temperature	-60°C~100°C
														RoHS	YES

Notes:

1. Printing always on cold side.
2. Torlerance of thermo and electric parameters ±10%.
3. Please mount heat sink before you use it. also, please do not exceed the extra voltage at any time.
4. Please contact with us if you need Melting Point 183°C (Operation Temperature 150°C Max.) and 235°C (Operation Temperature 200°C Max.) type.

<p>1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE MM</p> <p>2 TOLERANCE ARE AS FOLLOWS:</p> <p>0 &lt; X &lt; 2 ± 0.06</p> <p>2 &lt; X &lt; 10 ± 0.08</p> <p>10 &lt; X &lt; 50 ± 0.12</p> <p>50 &lt; X &lt; 100 ± 0.16</p> <p>100 &lt; X &lt; 200 ± 0.20</p> <p>200 &lt; X &lt; 300 ± 0.30</p> <p>ANGLES ± 0.5°</p>	PART No.	TECI-071xx3030	DESCRIPTION	DC 8.5V(Max.), 1~15A(Max.), 71 P&N, 30*30mm				
	SIGNATURE		DATE					
	DRAWN BY	Gory	2013/09/09					
	CHECKED BY	Justin	2013/09/09					
ENGR	Vivi	2013/09/09						
APPROVED BY	Mason	2013/09/09	CAD MODLE:	TECI-071xx3030.prt	SCALE:	1:1	REV:	A
ISSUED BY	Jack	2013/09/09	CAD DWG:	TECI-071xx3030.drw	SIZE:	A3	SHEET:	1 OF 1

昆晶冷片 (深圳) 电子有限公司  
KJLP (SHENZHEN) ELECTRONICS CO., LTD  
email: kjlp@kjlp.net http:// www.kjlp.net  
Tel: +86-755-82528352 Fax: +86-755-22639899