


(H)±0.1
The H is for reference only. Please be subject to the actual products.

Curve Chart(Be Confined To TECI-127154040):



Part Number And Feature:

T	E	C	I	-	1	2	7	x	x	4	0	4	0	Sealing	YES
↓	↓				↓	↓	↓	↓	↓	↓	↓	↓	↓	Operation Temperature	125°C(Max.)
Thermo	Electric	Chip	Stage	Stack	N & P	Stack	Quantity	Current	A(Max.)	Dimension	(A)	Dimension	(B)	Melting Point	138°C
														Storage Temperature	-60°C~100°C
														RoHS	YES


Technical Data:

ITEM	Part NO.	Stack(P&N)	A(Max.)	V(Max.)	Qc(W) /Th=27°C/ ΔT(°C)	DIM(A)	DIM(B)	DIM(H)	
1	TECI-127014040	127	1 A	15.2 V	11.8W	70°C	40	40	RF5.2
2	TECI-127024040	127	2 A	15.2 V	23W	70°C	40	40	RF4.1
3	TECI-127034040	127	3 A	15.2 V	34W	70°C	40	40	RF4.0
4	TECI-127044040	127	4 A	15.2 V	39W	70°C	40	40	RF3.9
5	TECI-127054040	127	5 A	15.2 V	44W	70°C	40	40	RF3.8
6	TECI-127064040	127	6 A	15.2 V	56W	70°C	40	40	RF3.7
7	TECI-127074040	127	7 A	15.2 V	66W	70°C	40	40	RF3.5
8	TECI-127084040	127	8 A	15.2 V	76W	70°C	40	40	RF3.4
9	TECI-127094040	127	9 A	15.2 V	85W	70°C	40	40	RF3.3
10	TECI-127104040	127	10 A	15.2 V	95W	70°C	40	40	RF3.2
11	TECI-127114040	127	11 A	15.2 V	105W	70°C	40	40	RF3.1
12	TECI-127124040	127	12 A	15.2 V	113W	70°C	40	40	RF3.0
13	TECI-127154040	127	15 A	15.2 V	129W	70°C	40	40	RF2.8

Notes:

1. Printing always on cold side.
2. Torlerance of thermo and electric parameters ±10%.
3. Please mount heat sink before you use it. also, please do not exceed the extra voltage at any time.
4. Please contact with us if you need Melting Point 183°C (Operation Temperature 150°C Max.) and 235°C (Operation Temperature 200°C Max.) type.

*DO NOT SCALE DRAWING



THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPR ODUCE
USED OR DISCLOSED OR IN PART TO ANYONE WITHOUT THE PERMISSION OF KJLP (SHENZHEN) ELECTRONICS
CO., LTD.

1. UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE MM
2 TOLERANCE ARE AS FOLLOWS:
0 < X < 2 ± 0.06
2 < X < 10 ± 0.08
10 < X < 50 ± 0.12
50 < X < 100 ± 0.16
100 < X < 200 ± 0.20
200 < X < 300 ± 0.30
ANGLES ± 0.5°

PART No.	TECI-127xx4040	DESCRIPTION	DC 15.2V(Max.), 1~15A(Max.), 127 P&N, 40*40mm
SIGNATURE		DATE	
DRAWN BY	Gary	2013/09/09	
CHECKED BY	Justin	2013/09/09	
ENGR	Vivi	2013/09/09	
APPROVED BY	Mason	2013/09/09	
ISSUED BY	Jack	2013/09/09	
CAD MODLE:	TECI-127xx4040.prt	SCALE:	1:1
CAD DWG:	TECI-127xx4040.drw	SIZE:	A3
		REV:	A
		SHEET:	1 OF 1



昆晶冷片 (深圳) 电子有限公司
KJLP (SHENZHEN) ELECTRONICS CO., LTD
email: kjlp@kjlp.net http:// www.kjlp.net
Tel: +86-755-82528352 Fax: +86-755-22639899