


Technical Data:

ITEM	Part NO.	Stack(P&N)	A(Max.)	V(Max.)	Qc(W) /Th=27°C/ ΔT(°C)	DIM(A)	DIM(B)	DIM(H)	
1	TECI-127066262	127	6 A	15.8 V	53W	70°C	62	62	RF5.2
2	TECI-127086262	127	8 A	15.8 V	70W	70°C	62	62	RF5.2
3	TECI-127096262	127	9 A	15.8 V	82W	70°C	62	62	RF5.2
4	TECI-127106262	127	10 A	15.8 V	89W	70°C	62	62	RF5.1
5	TECI-127126262	127	12 A	15.8 V	96W	70°C	62	62	RF5.1
6	TECI-127146262	127	14 A	15.8 V	120W	70°C	62	62	RF5.0
7	TECI-127156262	127	15 A	15.8 V	130W	70°C	62	62	RF4.9
8	TECI-127186262	127	18 A	15.8 V	152W	70°C	62	62	RF4.9
9	TECI-127206262	127	20 A	15.8 V	170W	70°C	62	62	RF4.8
10	TECI-127256262	127	25 A	15.8 V	213W	70°C	62	62	RF4.7
11	TECI-127266262	127	26 A	15.8 V	230W	70°C	62	62	RF4.7
12	TECI-127306262	127	30 A	15.8 V	260W	70°C	62	62	RF4.6
13	TECI-127406262	127	40 A	15.8 V	340W	70°C	62	62	RF4.5


*DO NOT SCALE DRAWING



THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HERewith IS NOT TO BE REPR ODUCEd USED OR DISCLOSED OR IN PART TO ANYONE WITHOUT THE PERMISSION OF KJLP (SHENZHEN) ELECTRONICS CO., LTD.

REVISIONS						
REV.	POS.	DESCRIPTION	DATE	DRW	APP	ECR#
A		INITIAL CREATION	2013/09/09	Gory	Mason	

Curve Chart(Be Confined To TECI-127406262):



Part Number And Feature:

T	E	C	I	-	1	2	7	x	x	6	2	6	2	Sealing	YES
↓	↓				↓			↓		↓		↓		Operation Temperature	125°C(Max.)
Thermo	Electric	Chip	Stack	Stack	N & P	Stack	Quantity	Current	A(Max.)	Dimension	(A)	Dimension	(B)	Melting Point	138°C
														Storage Temperature	-60°C~100°C
														RoHS	YES

Notes:

1. Printing always on cold side.
2. Torlerance of thermo and electric parameters ±10%.
3. Please mount heat sink before you use it. also, please do not exceed the extra voltage at any time.
4. Please contact with us if you need Melting Point 183°C (Operation Temperature 150°C Max.) and 235°C (Operation Temperature 200°C Max.) type.

<p>1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE MM 2 TOLERANCE ARE AS FOLLOWS: 0 < X < 2 ± 0.06 2 < X < 10 ± 0.08 10 < X < 50 ± 0.12 50 < X < 100 ± 0.16 100 < X < 200 ± 0.20 200 < X < 300 ± 0.30 ANGLES ± 0.5°</p>	PART No.	TECI-127xx6262	DESCRIPTION	DC 15.8V(Max.), 6~40A(Max.), 127 P&N, 62*62mm		
	SIGNATURE		DATE	<p>昆晶冷片(深圳)电子有限公司 KJLP (SHENZHEN) ELECTRONICS CO., LTD email: kjlp@kjlp.net http:// www.kjlp.net Tel: +86-755-82528352 Fax: +86-755-22639899</p>		
	DRAWN BY	Gory	2013/09/09			
	CHECKED BY	Justin	2013/09/09			
ENGR	Vivi	2013/09/09				
APPROVED BY	Mason	2013/09/09	CAD MODLE:	TECI-127xx6262.prt	SCALE: 1:1	REV: A
MATERIAL:	ISSUED BY	Jack	2013/09/09	CAD DWG:	TECI-127xx6262.drw	SIZE: A3 SHEET: 1 OF 1