


REVISIONS					
REV.	POS.	DESCRIPTION	DATE	DRW	APP
A		INITIAL CREATION	2013/09/09	Gary	Mason

Curve Chart(Be Confined To TESI-026202388):



Part Number And Feature:


T	E	S	I	-	0	2	6	x	x	2	3	8	8	Sealing	NO
↓	↓				↓	↓	↓	↓	↓	↓	↓	↓	↓	Operation Temperature	200°C(Max.)
Thermo	Electric	Chip(Small)	Stage	Stack	N & P	Stack	Quantity	Current	A(Max.)	Dimension	(A)	Dimension	(B)	Melting Point	235°C
														Storage Temperature	-60°C~100°C
														RoHS	YES

Technical Data:



ITEM	Part Number	P&N Couple	A(Max.)	V(Max.)	Q_c (W) / $T_h=27^{\circ}\text{C}$ / $\Delta T(^{\circ}\text{C})$	DIM(A)	DIM(B)	DIM(H)
I	TESI-026202388	26	2 A	3.8 V	4.5W	83°C	2.3	8.8

Notes:


1. Printing always on cold side.
2. Torlerance of thermo and electric parameters $\pm 10\%$.
3. Please mount heat sink before you use it. also, please do not exceed the extra voltage at any time.



(H) ± 0.15
The H is for reference only. Please be subject to the actual products.



*DO NOT SCALE DRAWING



THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPR ODUCE
USED OR DISCLOSED OR IN PART TO ANYONE WITHOUT THE PERMISSION OF KJLP (SHENZHEN) ELECTRONICS
CO., LTD.

1. UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE MM
2. TOLERANCE ARE AS FOLLOWS:
0 < X < 2 ± 0.06
2 < X < 10 ± 0.08
10 < X < 50 ± 0.12
50 < X < 100 ± 0.16
100 < X < 200 ± 0.20
200 < X < 300 ± 0.30
ANGLES $\pm 0.5^{\circ}$

PART No.	TESI-026xx2388	DESCRIPTION	DC 3.8V(Max.), 2A(Max.), 26 P&N, 2.3*8.8mm
SIGNATURE	DATE	昆晶冷片(深圳)电子有限公司	
DRAWN BY	Gary	2013/09/09	KJLP (SHENZHEN) ELECTRONICS CO., LTD
CHECKED BY	Justin	2013/09/09	email: kjlp@kjlp.net http:// www.kjlp.net
ENGR	Vivi	2013/09/09	Tel: +86-755-82528352 Fax: +86-755-22639899
APPROVED BY	Mason	2013/09/09	CAD MODLE: TESI-026xx2388.prt
ISSUED BY	Jack	2013/09/09	CAD DWG: TESI-026xx2388.drw
MATERIAL:			SCALE: 1:1 REV: A
			SIZE: A3 SHEET: 1 OF 1